BUILDER/DEVELOPER CONFIDENTIAL PRICE LIST

March 28, 2022

PAYMENT PROCEDURE

A 15% minimum (non-refundable) deposit is required with each order.

Total amount is due upon delivery either by Certified Check or Cashier's Check and presented to the drivers prior to release of modular unit to Builder/Developer.

Eligibility for "Volume Rebate Program" is contingent upon shipment being made within seven (7) calendar days of the unit's production completion date, or of its mutually agreed upon delivery date, whichever is later, that delivery is taken, and that the total invoiced amount is paid in full upon delivery, or in alternate, in advance of taking delivery and within the prescribed seven (7) calendar day period, that the total invoiced amount is paid in full. Once a house is scheduled with the transportation department for shipment. cancellation of the shipment will result in loss of eligibility for the "Volume Rebate Program".

FREIGHT RATES

\$4.30 per mile per section, plus permits, tolls, flag cars, etc.(23'8", 26'0", & 27'6" width) \$5.05 per mile per section, plus permits, tolls, flag cars, etc. (31'0" width) 50 miles per section, plus permits, flag cars, tolls, etc. Minimum Charge: NOTE: Fuel surcharges, if any, additional pending fuel cost

Site Delivery: \$75.00 per section

Long Island Delivery: Additional \$400.00 per section

FLAG CARS

\$1.40 per mile per car (can vary w/state). Various states, depending on module width, require a flag car(s) for each module.

NOTE: Fuel surcharges, if any, additional pending fuel cost

DRIVER WAITING TIME

0-1 Hour = No charge After 1st Hour - \$25.00 per hour per driver

CARRIER CHARGE

A Deposit of \$1,000.00 will be required on each modular carrier. This deposit, added to the house invoice, will be refundable, less return freight and any repair charges.

CARRIER RETURN FREIGHT

\$50.00 Stacked carrier pickup fee.

Single Frame: \$1.25 per mile* plus tolls and permits
Two frames stacked: \$1.25 per mile* plus tolls, permits and pick-up fee
Three frames stacked: \$1.50 per mile* plus tolls, permits and pick-up fee Four frames stacked: \$1.75 per mile* plus tolls, permits and pick-up fee

*Minimum charge of 50 miles plus tolls, permits and pick-up fee

NOTE: Carriers will be picked up after reported ready and accessible when we have available trucks in your area.

Standard Specifications Refer to Gladiator Price List for Series Specific Standards & Options

FLOOR SYSTEM

2"x 8" SPF Floor Joists - 16" O.C. with solid bridging, double 2 x 8 front and rear perimeter -24 wide single story homes, and 24 wide two-story homes

2"x10" SPF Floor Joists - 16" O.C. - 26/28 wides, split levels, first story of 26/28 two story homes, and first and second story of 31W homes - with double 2 x 10 front and rear perimeter.

19/32 Agency Rated T&G floor decking, glued & stapled; 24, 26 & 28 wide homes

23/32 Agency Rated T&G floor decking, glued & stapled; 31 wide homes

WALLS

Exterior 2 x 6 - 24" O.C. with single bottom & double top plate

2 x 6 - 16" O.C. with single bottom & double top plate. (Two Story 1st floor only)

R-21 Kraft faced fiberglass insulation 7/16" OB exterior wall sheathing

Note: Can't use in 2009 IRC States @ 24" o.c. spacing in greater than 90 MPH wind zone

Air Wrap on exterior walls

Marriage Double 2 x 3 - 24" O.C. 24W single story; 16" O.C. 26/28 & 31 wide single story

Double 2 x 4 - 24" O.C.-24W Cape: 16" O.C. 26/28. & 31 wide Cape

Double 2 x 4 - 16" O.C.-All widths TS 1st floor Double 2 x 3 - 16" O.C.-All widths TS 2nd floor Plastic on marriage walls for shipping

Partition 4" @ 24" O.C.

Interior 1/2" Finished Drywall painted - primer coat

8'0" Ceiling Height

ROOF & CEILING

5/12 Roof Trusses @ 24" O.C., except 31 wide - 7/12 Roof Trusses @ 24" O.C.

12/12 Trussed roof - Capes 24" O.C. (24W); 16" O.C. (26/28 & 31W)

7/16" OB Roof Sheathing

Fiberglass Dimensional Roof Shingles w/underlayment

R-38 Insulation with Vapor Barrier -(Optional Storage Roof System -Spray foam & cellulose under decking)

Smooth finish Ceiling w/One Coat Primer Paint

11 in. Gable & Fixed Sidewall Overhang (24/26 wide); 16 in. Gable (28/31-5/12 & 7/12) & 16 in. Flip Sidewall overhang (28/31 wide); 11 in. Sidewall Overhang & 1-1/2 in. Gable Overhang on Gladiator Series Aluminum fascia and vinyl vented soffit

Shingle-Over Ridge Vent and Cap Shingles

INTERIOR

FHA Plush Carpet with Pad

Vinyl Floor Covering in Kitchen, Baths and utility area

Vented Closet Shelves with Clothes Bar

Ceiling Lights in kitchen, dining room, bath, hall and stairwell

6-Panel White Colonial Doors with matching trim

Lever Style locksets, except Tulip Style for Gladiator Series

EXTERIOR

2-Lite Insulated exterior doors

Low-E vinvl patio door (as required per plan)

Vinyl, Double Hung, Low-E Windows; (Single-Hung on Gladiator Series)

Siding, 4 x 4 Vinyl over 7/16" oriented board sheathing

Porch lights. (One per exterior door, except raised ranchers & two stories-2 at front door)

Shutters, front of house, except Gladiator & Chateau Villa Series

Standard Specifications

KITCHEN

Aristokraft "Sinclair Birch" Cabinets
Refrigerator cabinet optional in Gladiator Series
Open Soffit over kitchen cabinets
Self-Edge Countertop with Backsplash
White Range Hood w/Light
Double Bowl Stainless Steel Sink
Chrome Single-Handle Pull Down Faucet

BATH

60" One-Piece Fiberglass Tub/Shower Combination
Anti-Scald Valve on Tub and showers
Low Consumption Elongated Bowl Water Closet
Aristokraft "Sinclair Birch" vanity cabinet
Laminate vanity top with drop-in bowl
Medicine cabinet - (1) 18 x 26 beveled mirror cabinet with integral light bar over vanities
through 48", and (2) 18 x 26 beveled mirror cabinets with integral light bar over
double bowl vanities
Combination Fan/Light Ventilation Unit
Towel Bar & Toilet Paper Holder
Chrome Dual Control Faucet w/ High Arch Spout

PLUMBING

PEX Water Supply Lines Stubbed Through Floor PVC Drain, Waste & Vent Lines Shut-off Valves Thoughout Energy Saver 50 Gallon Electric Water Heater (Optional w/HWBB Heat)

ELECTRICAL

Standard Lighting fixtures including Dining Room chandelier, except drum light in Gladiator Series

Wiring per National Electric Code
200 Amp Main Service Panel
Exterior Weatherproof GFI Protected Circuit (Front & Rear)
Dedicated circuits for Refrigerator and Washer
AC/DC Smoke Detector(s)
Wiring for Electric Range
Doorbell at front door, except Gladiator Series
Phone Jacks - (3) - except Gladiator Series
TV Jacks - (2) -except Gladiator Series

HEATING

Electric Baseboard w/Programmable Wall Mounted Thermostats or Hot Water Baseboard Heating elements (optional charge for second story of two story units)

VAULT CEILING FEATURES

Maximum room length of 22 feet, except 7/12-31W maximum room length of 20 feet Maximum roof load of 60# @ 24" oc. / 90# @ 16" oc.

Not Included: Insulation and interior finish material for vault ceiling

Standard Specifications

CAPE FEATURES

Note: Additional specifications for capes only

Marriage Walls - 2 x 4 (24W - 24" oc; 26W/28W/31W - 16" oc)

Close-off package - includes (1) 30" passage door, stairwell walls, and carpet with pad

Future second floor plumbing lines, heat and electric circuits

Collar ties provided for roof installation

Second floor ceiling height (24W @ 90" - 26W/28W/31W @ 96")

Agency Rated T & G floor decking provided for second floor

Spray Foam with cellulose under decking, fiberglass behind kneewalls

CAPE CHALET FEATURES

The following features in addition to the above listed items for capes:

Prow extended over sliding glass doors (optional on Appalachian)

Glass panels over sliding glass doors

Not included: Insulation and drywall to finish open area

CHATEAU VILLA SERIES

Additional specifications for vacation series only

Vinyl Casement Windows In Contemporary style

Prow extended over sliding glass doors

Glass panels over sliding glass doors

Cathedral ceiling - Living room, dining room, and kitchen

(Cathedral ceiling requires open soffit in kitchen)

Contemporary models available with 5/12 roof pitch only.(Not available in NY 85# & above GSL)

Contact Your Sales Rep For Contemporary Pricing (Model Submital Required Most States)

TWO STORY FEATURES

Additional specifications for two story only

First Floor:

Marriage Wall - 2 x 4 - 16" oc

2 x 6 Ceiling Joists - 16" oc with 2 x 12 perimeter

Fiberglass insulation around perimeter between floor and ceiling

Second Floor - floor system:

2 x 8 floor joists - 16" oc with 2 x 10 perimeter - 24/26/28W

2 x 10 floor joists - 16" oc with 2 x 10 perimeter - 31W

Interior:

Stairs to second floor with carpet and pad. (Shipped Loose)

Drywall left off to make plumbing connections as floor plan dictates

(Drywall shipped loose to close openings)

Exterior:

Exterior Walls, 2 x 6 - 16" oc - First Story

2 x 6 - 24" oc - Second Story

Second floor siding shipped loose

DECORATOR SELECTIONS

EXTERIOR

* Roof Shingles: GAF Timberline HD Dimensional Fiberglass

*** Before Color (Currently Unavailable) Ask Your Salesperson for updated availablity

	Standard Colors:	Optional Cold	ors:		
Barkwood	***Hunter Green	Shakewood	***Biscayne Blue	***Patriot Red	
Charcoal	***Mission Brown	***Slate	Hickory	Williamsburg Slate	
***Fox Hollow Gray	Pewter Gray	Weathered Wood	***Oyster Gray		

^{*} Vinyl Siding: 4/4 Conventional Lap Certainteed "Mainstreet"

4/4 Shiplap Certainteed "Mainstreet"

Before Color (Currently Unavailable) Ask Your Salesperson for updated availablity

Autumn Yellow	Cypress	Herringbone	Sandstone Beige	Sterling Gray
Buckskin	Desert Tan	Light Maple	Savannah Wicker	
Castle Stone	Granite Gray	Natural Clay	Seagrass	
Colonial White	Heritage Cream	Oxford Blue	Snow	
Optional Colors:	Autumn Red	Flagstone	Hearthstone	Sable Brown
	Charcoal Gray	Forest	Pacific Blue	Spruce

Optional Alcoa Quest Series Blend:

Contact Sales Representative for available colors

* Soffit/Fascia: White Brown (Optional)

Optional - Color Co-Ordinated Trim-

Fascia, Drip Edge, and Lineal Outside Corner Posts

Desert Tan **Natural Clay**

* Shutters: Louvered or Optional Raised Panel *Optional in Gladiator Series*

> Black Gray Red Bordeaux Green Royal Brown Indigo Blue White

FLOOR COVERING

*Standard Carpet: Lonesome Oak "Down Town Collection" (25oz)

Dove	Mocha Joe	Stormy Grey	
DOVC	Widdia 000	Ctoring Cicy	
Dusty Roads	Pearl Drop		

^{*} Optional Carpet: Lonesome Oak "Grand Escape" (45oz)

	Benton	Dorado	Sunrise		
	Century	Malvern	Shimmeri	ng Pearl	
					_
Floor Vinyls:					

DF9442	DF9570	DF9626	DF9661
DF9503	DF9587	DF9632	DF9667
DF9534	DF9591	DF9630	

^{4/4} Std or 4-1/2" Dutchlap

DECORATOR SELECTIONS

FLOOR COVERING (cont.)

Optional for Foyers/Living Areas

** SPC Waterproof Flooring: Asheville European Oak Foxwood Catawba Wilmington Rolling Oaks

More SPC colors Will Be added As We Find Replacements For Discontinued Colors

Optional Revotile:

RV51 Exquisite Grey w/Dovetail Grout
RV53 Calacatta Marble w/Highalnd Pearl Grout
RV61 Graphite w/Metropolitan Grout
RV61 Exquisite Grey w/Dovetail Grout
RV65 Shaker Beige w/Highland Pearl Grout
RV90 Power Grey w/Metropolitan Grout

KITCHEN

* Cabinets Aristokraft Sinclair Birch

Refer to Aristokraft literature for optional styles and finishes

Aristokraft "Characteristics of Paint" Statement: Paint will develop hairline cracks in the finish, most notable around the joints. This is a result of natural expansion and contraction of the genuine hardwoods used in the manufacturing of this product. Hairline cracks are not considered a defect in the cabinetry or finish and will not be considered a reason for product replacement.

Check with salesperson for cost to upgrade to plywood cabinet sides & wood dovetail drawers

** Roll-out Trays in Base Cabinets(not available for 9"&12" base)

**Roll-out trays Optional in all Aristokraft series

^{*} Countertops: Self edged with Backsplash

6227-46	Amber Kashmire Etchings	3518-46	Flint Crystal
6697-46	Argento Romano Etchings	7734-46	Jamocha Granite Etchings
3690-34	Basalt Slate Sovato	3692-46	Labrador Granite Etchings
6222-RD	Brazilian Granite Radiance	9497-34	Silver Quartzite Scovato
7732-46	Butterum Granite Etchings		

Optional: 180 FX:

3466-RD Antique Mascarello 9537-34 Stormy Night Granite 3422-RD Crema Mascarello

Optional: Granite Bianco Catalina Crema Caramel Moon White

Black Pearl Giallo Ornamental New Venetian Gold Caledonia Luna Pearl White Sparkle

^{*} Optional Countertop Wall Backsplash:

PS40 White Brick	Logic White Subway	Stone Cabernet Mosaic
PS41 Beige Brick	Logic Taupe Subway	Stone Waterfall Mosaic
PS42 Gray Brick	LORGR14MM Mosaic	Stone Midnight Mosaic

^{**}SPC - "Engineered Flooring" provides wood plank look with "waterproof" feature

DECORATOR SELECTIONS

BATH

* Bath Fixtures: Fiberglass Tubs/Showers/Low Consumption Toilets: White Bone

* Optional Cultured Marble Top with Oval Bowl: White/White Almond/White Pale Gray/White

* Optional Cultured Granite Top w/Oval Bowl: Latte Granite Cloud Granite Aztec Granite

Mocha Granite Granite Aggregate Granite

* Optional Ceramic Wall Tile: Shower, Tub or Platform Tub - Emser Tile Daroca Series - 13" x 13"

ATAR TRIPOLI NADOR ZILLA

**Antique White Grout used for all colors of ceramic tile

INTERIOR

* Doors & Trim: 6-Panel Hollow Core White w/Prefinished White Trim Optional: Santa Fe Hollow Core White w/Prefinished White Trim

2-Panel Cararra Hollow Core White w/Prefinished White Trim6-Panel Smooth Solid Core White w/Prefinished White Trim

Optional: Barn Door, Knotty Pine - Raw or Stained, with Black Hardware

Note: Round Top windows with stained jamb & casing not recommended

Optional: Oil Rubbed Bronze Interior Hardware, Lighting, & Faucets

Plan #928 23'8" x 40'

GLADIATOR SERIES

Gladiator Specific Standard Specifications

Plan #930

26' x 58'

2" Gable & 11" Fixed Sidewall Overhang w/Aluminum Fascia & Vinyl Vented Soffit

Single Hung Vinyl Windows Round Knobs at Interior Doors 8" Ceiling Mounted Fixture in Dining Area

Plan #922

26' x 44'

	Ceasar	Centurion	Spartan
BASE PRICE, F.O.B.	\$116,800	\$100,500	\$101,800
Gladiator Series Specific Options - Refe	r to Master Series for Full Ar	ray of Option Choices	
Gable End Overhangs Thermoply Structural Sheathing on Marriage Walls 7/16" 9' OSB Sheathing on Marriage Walls	Plan #930 600.00 464.00 2204.00	Plan #922 600.00 352.00 1672.00	Plan #928 600.00 320.00 1520.00
3037 Single Hung Vinyl Window - Additional Installed 3857 Single Hung Vinyl Window - Additional Installed Double Hung Vinyl Window ilo Single Hung, each	455.00 565.00 65.00	455.00 565.00 65.00	455.00 565.00 65.00
Brushed Nickel Lever Style Locksets, each ORB Lever Style Locksets, each	12.00 22.00	12.00 22.00	12.00 22.00
Door Bell, per door Dining Room Chandelier TV Jack, ea. Phone Jack, ea	65.00 175.00 55.00 65.00	65.00 175.00 55.00 65.00	65.00 175.00 55.00 65.00
Kitchens ilo Standard Sinclair:	Contact your sales representat	ive for complete offerings a	and pricing
W3612 Refrigerator Cabinet: Sinclair	195.00	195.00	195.00
Bath Vanities ilo Std Sinclair	Contact your sales representat	ive for complete offerings a	and pricing
Cultured Marble Top/Bowl ILO Std	25" 55.00 31" 70.00 49" 120.00		
Cultured Granite Top/Bowl ilo Std	25" 130.00 31" 175.00 49" 265.00		
Raised Ranch Entry Option (Recessed & Cantilever) Crawl Space (Hook-up for W/H, & Wshr, Panelbox Instld)	2,100.00 475.00	2,100.00 475.00	N/A 475.00

GLADIATOR / MASTER SERIES

Specification Comparison

	Gladiator	Master
Gable End Overhangs	1-1/2"	11" or 16"
Interior Door Locksets	Round Knob	Lever Style
Dining Room Light	Drum Fixture	Chandelier
Refrigerator Cabinet	Optional	W3612 Sinclair
Shutters	Optional	Louvered-Front
Doorbell	Optional	Front
Phone Jacks	Optional	Three
Television Jacks	Optional	Two
Structural Marriage Wall Sheathing	Optional	Optional
Volume Rebate / Model Home Program	Not Eligible	Eligible

BUILDER/DEVELOPER CONFIDENTIAL PRICE LIST

PLAN	MODEL	SIZE	DESCRIPTION	TYPE	SQ. FT.	BASE PRICE
KEYSTOI 141 142 143 144 145 146 147 148 149 261 262 263 264 265 266 267 268 382 383 384 385 386 387 388 389 415 425	NE SERIES - RANCE Cameron Clinton Columbia Franklin Lehigh Monroe Sullivan Tioga Wyoming Allegheny Clarion Delaware Juniata Ohio Schuylkill Shenango Susquehanna Bedford Canton Erie Greensburg Kingston Reading Scottdale Scranton Mercer Marlboro	24x36 24x40 24x40 24x44 24x44 24x48 24x48 24x52 24x60 26x40 26x44 26x48 26x48 26x52 26x52 26x52 26x56 28x60 28x40 28x44 28x44 28x44 28x48 28x48 28x48 28x48 28x52 28x56 28x60 28x34'/28x40/46' 28x54'/(2) 20x13'	2BR-1B 2BR-1B 3BR-1B 3BR-1-1/2B 3BR-1-1/2B 3BR-2B 3BR-1-3/4B 4BR-13/4B 3BR-1B 3BR-1B 3BR-2B 3BR-2B 3BR-2B 3BR-2B 3BR-2B 3BR-2B 3BR-2B 3BR-1 1/2B 3BR-1 1/2B 3BR-1 1/2B 3BR-1 3/4B 3BR-1 3/4B 3BR-2B 3BR-2B 3BR-1 3/4B 3BR-2B 3BR-2B 3BR-1 3/4B 3BR-2B 3BR-2B 3BR-2B 3BR-2B 3BR-2B 3BR-2B 3BR-1 3/4B	Ranch	864 946 946 1056 1056 1152 1152 1230 1420 1040 1144 1248 1352 1352 1456 1560 1100 1210 1210 1320 1430 1430 1540 1650 2117 2005	82,250 104,350 87,500 91,300 93,450 98,450 102,950 106,500 120,250 104,200 103,150 112,250 111,450 117,150 116,150 119,200 125,350 97,500 106,800 106,850 115,050 112,300 116,700 127,500 130,450 168,400 166,150
KEYSTOI 106 111 113 118 119 216 217 218 219 221 225 260 311 316 323 331 333	NE SERIES - RAI Hanover Grafton Lincoln Cranston Shiloh Salona Herndon Hillsville Richmond Wolfdale Millville Oreland Brenton Danville Elkland Donora Whitney	SED RANCH 24x40 24x44 24x48 24x48 24x52 26x54 26x54 26x52 26x52 26x60 26x48 26x48 28x52 28x48 28x44 28x56 28x62	3BR-1B 3BR1-1/2B 3BR-1-1/2B 3BR-2B 3BR-2B 3BR-13/4B 3BR-2B 3BR-1-3/4B 3BR-2B 3BR-1B 3BR-1B 3BR-2B 3BR-1-3/4B 3BR-1-3/4B 3BR-1-3/4B 3BR-2B 3BR-1 3/4B 3BR-1 3/4B 3BR-1 3/4B	Raised Ranch Raised Ranch	946 1056 1152 1136 1231 1404 1144 1352 1352 1560 1248 1248 1430 1320 1210 1540 1705	89,600 95,250 99,600 107,000 110,450 116,850 106,100 120,200 133,100 112,950 101,700 120,850 118,300 118,300 108,200 131,750 135,700
KEYSTOI 105 107 231 232 233 234 309 317 340 341 342 343 344	NE SERIES - CAP Cape Camden Cape Auburn Cape Cod Cape Chester Cape Hatteras Cape Preston Cape May Cape Charles Cape Kennedy Cape Barrow Cape Henry Cape Arlington Cape Bristol	24x40 24x44 26x40 26x40 26x44 26x48 28x40 28x44 28x48/36 28x48/36 41'6"x40'2" 28x60 28x44	2BR-1B 2BR-2B 2BR-1B 1BR-1B 2BR-1B 1BR-1-1/2B 2BR-1B 2BR-1B 1BR-1B 2BR-1B 2BR-1B 2BR-1B 2BR-1B	Cape Cape Cape Cape Cape Cape Cape Cape	946 1041 1040 1040 1144 1214 1100 1210 1105 1105 1306 1576 1210	109,850 116,700 114,200 117,950 123,100 141,300 121,250 128,650 128,550 132,800 142,100 172,350 134,300

BUILDER/DEVELOPER CONFIDENTIAL PRICE LIST

PLAN	MODEL	SIZE	DESC	RIPTION	TYPE	SQ. FT.	BASE PRICE
GRANDVI 401 402 403 404	EW SERIES - S Lancaster Lycoming Lawrence Lebanon	PLIT LEVEL 24x22/26x22 24x22/26x24 26x26/24x26 24x24/26x32		3BR-1B 3BR-1-1/2B 3BR-1-3/4B 4BR-1-3/4B	Split Level Split Level Split Level Split Level	1093 1145 1291 1400	111,650 115,100 125,650 131,450
	INTERCHANGI LIVING SECTION	EABLE LAYOUT S ON	ECTIONS FO	R PLAN BLEND BEDROOM SEC			
401 402 403 404	Lancaster Lycoming Lawrence Lebanon	24X22 24X22 24X26 24X24		401 402 403 404	Lancaster 26X22 Lycoming 26X22 Lawrence 26X26 Lebanon 26X32	572 572 676 832	
405 407 408	Hampton Westfield Gulfport	28X24/28X36 28X32/28X38 28X36/28X44		4BR-1-1/2B 3BR-1,1/2,3/4B 4BR-1,1/2,3/4B	Split Level Split Level Split Level	1650 1926 2200	143,950 164,500 181,200
	L DANG GEGEN		BLE LAYOU		R PLAN BLENDING	<u>G</u>	
PLAN 405 407 408	LIVING SECTION MODEL Hampton Westfield Gulfport	<u>SIZE</u> 28X24 28X32 28X36	Base Price	PLAN 405 407 408	MODEL SIZE Hampton 28X36 Westfield 28X38 Gulfport 28X44	SQ. FT. 1008 1064 1232	
DESIGNE 501 503 504 505 506 507 508 510 512 513 514 515 516 550A	R SERIES - TWO Norwood Williamsburg Bridgeport * Chatwood Crestmont Franklin Freeport Jamestown Gettysburg Martinsburg Oakmont Oxford Rutledge Stonington	O STORY 24x28/24x28 28x44/28x44 26x38/26x38 26x40/26x40 26x44/26x44 28x28/28x28 28x32/28x32 28x30/38 28x42/28x42 28x48/28x48 28x48/28x48 28x48/28x48 28x48/28x48 28x48/28x48		3BR-1B 4BR-2 12B 4BR-1 3/4,1/2B 4BR-2B 4B-2B 3BR-1 3/4,1/2B 3BR-2 1/2B 4BR-1 3/4,1/2B 4BR-1 3/4,1/2B 4BR-2 1/2B 4BR-2 1/2B 4BR-2 1/2B 4BR-2 1/2B 4BR-2 1/2B	Two Story Two Story Two Story Two Story Two Story Two Story	1325 2420 1976 2080 2288 1540 1760 1870 2310 2640 2640 2640 2860 2693	116,550 179,450 165,750 163,250 176,000 130,400 143,700 153,950 170,700 191,650 189,000 191,850 202,650 204,900
CHATEAU 502	J VILLA SERIES Benton	- 27x28		3BR-1-1/2B	Offset Roof	1512	150,550
509	Huntington	27x28 26x40		4BR-2-3/4B	Two Story Offset Roof	2120	177,500
226 227 204 212 228	Skyview Mountainview Valleyview Longview Lakeside	26x40 26x34 26x40 26x40 26x48 26x52		2BR-1B-EE 3BR-1B-EE 3BR1B-EE 3BR-1-3/4B-EE 3BR-1-3/4B	Two Story Ranch Chalet Ranch Chalet Ranch Chalet Ranch Chalet Ranch Chalet Ranch Chalet	884 1040 1040 1248 1352	92,400 101,050 99,700 119,100 120,400
120 332	Pocono Aspen	24x40 28x40		2BR-1-1/2B 2BR-1-1/2B	Cape Chalet Cape Chalet	960 1120	120,650 133,500

Note: Chateau Villa Series Ranch models with areas of Cathedral Ceilings standard and built for NY Ground Snow Zones of 65#, 70#, & 85# require roof truss spacing in the cathdral area to be double 16" oc. The balance of the roof must be optioned @ 16" oc

BUILDER/DEVELOPER CONFIDENTIAL PRICE LIST

PLAN	MODEL	SIZE	DESCRIPTION	TYPE	SQ. FT.	BASE PRICE
HIGHLAI	ND SERIES - 31					
704 708	Avondale Augusta	31' x 44' 31' x 48'	2BR-1B 3BR-2B	Ranch Ranch	1364 1488	115,900 130,300
710	Abbington	31' x 48'	3BR-2B	Ranch	1488	131,500
715	Barclay	31' x 52'	3BR-2B	Ranch	1612	137,800
725	Brittingham	31' x 58'	3BR-2B	Ranch	1798	140,250
726	Brockton	31' x 58'	3BR-2B	Ranch	1798	149,550
730	Branson	31' x 60'	4BR-2B	Ranch	1860	151,450
736	Radford	31' x 64'	3BR-2B	Ranch	1984	162,950
750	Catskill	31' x 44'	2BR-1B	Cape	1364	142,650
751	Catalina	31' x 44'	2BR-2B	Cape	1364	151,050
754	Cambria	31' x 46'	2BR-1.75B	Cape	1426	147,850
760	Crawford	31' x 50'	2BR-2B	Cape	1550	161,450
770	Devonshire	31'x34' / 31x34'/36'	3BR-2.5B	T-Ranch	2139	186,100
780	Garrison	31' x 44'	4BR-2.5B	Two Story	2728	203,800
785	Glendale	31' x 48'	4BR-2.5B	Two Story	2976	112,850
786	Grantham	31' x 50'	4BR-2.5B	Two Story	3100	218,050
792	Gleason	31' x 52'	4BR-2.5B	Two Story	3224	219,200
		01 X 02	151(2.05	Two didity	022 1	210,200
	R SERIES	_				
915	Montgomery	26' x 25'/30'	2 BR 1B	Ranch	715	76,750
918	Millsboro	23'8" x 40'	3 BR 1B	Ranch	947	87,350
920	Middleton	23'8" x 40/44'	3 BR 1B	Ranch	994	91,800
925	Salem	27'6" x 42/46'	3 BR 1.75B	Ranch	1210	108,300
928	Trinity	27'6" x 50/56'	3 BR 1.75B	Ranch	1458	125,200
931	Winston	27'6" x 44'/50'	3 BR 2B	Ranch	1293	115,300
938	Staunton	23'8" x 42'	3 BR 1B	Raised Ranch	982	97,000
945	Brewerton	27'6" x 44/48'	3 BR 1B	Raised Ranch	1265	114,450
950	Bloomington	23'8" x 30/36'	3 BR 1.5B	Two Story	1562	135,050
955	Wilmington	26' x 34/38'	3 BR 2.5B	Two Story	1872	163,450
960	Scottsdale	27'6" x 39/44'	3 BR 2.5B	Two Story	2225	184,900
300	Ocollistiale	27'6" x 36/44'	3 DIV 2.3D	1 Wo Otory	2225	104,900
SHOREL	INE COLLECTION	ON				
	encer Cove	27'6" x 44'/48'	3 BR 2B	Ranch Crawl	1265	112,100
	oronado Cove	22'0" x 45'	2 BR 1.75B	Ranch	922	101,000
	neridan Cove	23'8" x 40'	2 BR 1B	Ranch	947	103,500
	el Ray Cove	27'6" x 48'	3 BR 1.75B	Ranch	1320	125,850
	andpiper	23'8" x 46'	2 BR 1B	Cape	1089	120,950
	egatta Bay	27'6" x 36'	1 BR 1B	Cape	830	120,000
	ong Beach	15'6" x 50'	3 BR 3B	Two Story	1450	140,050
	rand Isle	27'6" x 34'/42'	3 BR 2.75B	Two Story	2090	178,100
991 Se	easide	27'6" x 42'	5 BR 3.5B	Two Story	2184	183,650

Refer to Gladiator Price Sheets for Series Specific Options

STATE CODE REQUIREMENTS*

Pennsylvania, Delaware, Maine, Connecticut \$100.00 New York, Rhode Island, Vermont 300.00 New Jersey, New Hampshire 175.00 Massachusetts, Maryland 550.00 All Other States NC RWC 10-Year Warranty 100.00

*Some States May Require Additional Options. Please Contact Your Salesman for Verification.

			24W	26W	28W	31W
CONSTRUCTION OPTIONS						
2 x 10 Floor Joists ilo 2 x 8 - 24W 16" O.	C. with 19/32" TG Decking	(per lin ft. of home)	44.25	N/A	N/A	N/A
2 x 12 Floor joists ilo 2 x 10 - 31 wides	or and Transport	(per lin ft. of home)	00.50	47.05	47.05	25.25
2 x 10 Floor Joists ilo 2 x 8 - 2nd Story flo OJ Floor trusses 16" O.C. ilo 2x10 Joists		(per lin ft. of home) (per lin ft. of home)	29.50 N/A	47.25 55.00	47.25 55.00	STD 45.75
OJ Floor trusses 16" O.C. ilo 2x10 Joists OJ Floor trusses 16" O.C. ilo 2x8 Joists		(per lin ft. of home)	77.50	N/A	05.00 N/A	45.75 N/A
Floor Blocking for Superior Wall foundati		(each end of home)	275.00	275.00	275.00	275.00
Joist Hangers Installed @ Outside perim		(per lin ft of home)	3.50	3.50	3.50	3.50
		,				
23/32" OSB T&G Subfloor replacing std			4.00	5.00	5.00	Std
23/32" Plywood T&G Subfloor replacing			14.00	16.50	16.50	11.50
23/32" Plywood T&G Subfloor replacing		of strg area)	6.00	10.00	10.00	10.00
Luan, (Must option in vinyl area with Plyv	vood Floors), times room length		8.50	8.50	8.50	8.50
19/32" OSB Roof Sheathing replacing sto	d: 5/12 Roof (times length of home)		10.00	12.00	13.00	N/A
	7/12 Roof (times length of home)		12.00	13.00	13.00	15.50
	12/12 Roof (times length of home)		13.00	15.00	16.00	17.00
15/32" Plywood Roof Sheathing replacing			10.00	11.50	13.00	N/A
	7/12 Roof (times length of home)		11.50	13.00	13.00	15.00
	12/12 Roof (times length of home)		13.00	14.00	15.50	16.50
8' - 15/32" Plywood Exterior Wall Sheath	ing replacing 8' OSB- (per perimeter ft of	homener story)	3.00	3.00	3.00	3.00
9' - 15/32" Plywood Exterior Wall Sheath			10.00	10.00	10.00	10.00
9' OSB on Marriage Wall ilo Thermoply (per etery,	29.50	29.50	29.50	29.50
.,.	,					
2x6 Ext. Walls-16"o.c. w/ R-21 in lieu of						
(per perimeter ft of home per	story)		7.25			
Roof Pitch/Spacing in lieu of standard						
5 /12 Pitch	16 " oc (times length of home)		78.25	84.00	80.00	N/A
7 /12 Pitch	24 " oc (times length of home)		23.00	39.00	53.75	N/A
7 /12 Pitch	16 " oc (times length of home)		101.25	127.25	131.50	93.75
9 /12 Pitch	24 " oc (times length of home)		91.00	91.00	91.00	40.75
9 /12 Pitch	16 " oc (times length of home)		184.75	184.75	184.75	136.50
Roof Pitch in lieu of standard 12/12 Pitch	24" O C					
12 /12 Pitch	16 " oc (times length of home)		130.00	STD	STD	STD
12 / 12 1 1011	to oc (unles length of florite)		130.00	OID	OID	OID
12/12 Cape Roof Dormer (4' w/eaves) wi	th Window (34x49) 4 ft - 7/	12 Dormer on 7/12 Roof		3,500.00		
12/12 Cape Roof Dormer (5' w/eaves) wi	th Window (34x49) 5 ft - 7/	12 Dormer on 7/12 Roof		4,000.00		
12/12 Cape Roof Dormer (6' w/eaves) wi		12 Dormer on 7/12 Roof - 31W O	nly	4,600.00		
12/12 Cape Roof Dormer (8' w/eaves) wi	th Window (34x49)			5,175.00		
Storage Roof System - **Decking-19/32"	OR (7/12 24\M & 5/12 8' Floor area: 7/	112 26/28\W 14' Floor area: 31\W	17' area)			
7 /12 Pitch - 24W	24 " oc (times length of home)	ilo 7/12 24" oc	38.00	N/A	N/A	N/A
7 /12 Pitch - 24W	16 " oc (times length of home)	ilo 7/12 16" oc	45.50	N/A	N/A	N/A
** ##5 /12 Pitch - 26/28W	24 " oc (times length of home)	ilo 5/12 24" oc	N/A	40.00	40.00	N/A
** ##5 /12 Pitch - 26/28W	16 " oc (times length of home)	ilo 5/12 16" oc	N/A	45.25	45.25	N/A
##7 /12 Pitch - 26/28W	24 " oc (times length of home)	ilo 7/12 24" oc	N/A	68.75	68.75	N/A
##7 /12 Pitch - 26/28W	16 " oc (times length of home)	ilo 7/12 16" oc	N/A	76.00	76.00	N/A
## 7 /12 Pitch - 31W	24 " oc (times length of home)	ilo 7/12 24" oc	N/A	N/A	N/A	106.25
##7 /12 Pitch - 31W	16 " oc (times length of home)	ilo 7/12 16" oc	N/A	N/A	N/A	123.50
##9 /12 Pitch - 26/28W ##9 /12 Pitch - 26/28W	24 " oc (times length of home)	ilo 5/12 24" oc ilo 5/12 24" oc	N/A N/A	185.75 282.00	185.75 282.00	N/A N/A
##3/12 FILCH - 20/2000	16 " oc (times length of home)	110 3/12 24 OC	IN/A	202.00	202.00	IN/A
** 5/12 Storage available only in 3	35# @24" oc or 50# @ 16" oc.					
D. II D			000.00			

Pull Down Stairs installed when possible - Storage Roof System

*Fixed Stairs to Storage area(Available w-7/12 & 9/12, 26/28/31 only), w/insulated door & walls *Available in MD only with 9/12 -(26W-31W) & all 12/12 widths

800.00 2,675.00

5/12

24" oc 5.00 / 4.00

24W/26-28W

N/A

##New York Requires use of a "pre-fab" collar tie for the following Cape and Storage Roof Systems:

All 5/12 widths; 7/12 - 26/28W; All 9/12 widths; & 12/12-26/28W; 31W Std

The addiitional charge to do this roof system for units built for New York is-(x length of home

16" oc	7.50 / 6.00	20.00	15.	00
	24W	26W	28W	31W
	N/A	159.00	159.00	N/A
	N/A	176.25	176.25	N/A
	N/A	171.25	171.25	244.75

188.75

10.00

9/12 & 12/12-26/28W

188.75

290.00

7/12

Raised Roof (Porch Roof Shipped Loose)**Not Available w/Cathedral

5 /12 Pitch --24 " oc (per lin. ft.) ilo 5/12 24" oc Flat Roof 16 " oc (per lin. ft.) ilo 5/12 16" oc Flat Roof 5 /12 Pitch --24 " oc (per lin. ft.) ilo 7/12 24" oc Flat Roof 7 /12 Pitch --16 " oc (per lin. ft.) ilo 7/12 16" oc Flat Roof 7 /12 Pitch --

Note: Not available for units traveling through Connecticut due to shipping height restriction

Refe	r to Gladiator Price Sheets for S	eries Specific Options				
5/12 Cathedral Ceilings (per lin ft per section) ilo 5/12 24"/	16" oc	\$	33.75	39.00	39.00	N/A
7/12 Cathedral Ceilings (per lin ft per section) ilo 7/12 24"/	26.00	26.00	46.00	N/A		
5/12 Cathedral Ceilings @ dbl 16" oc (per lin ft per section	90.50	130.00	136.50	N/A		
7/12 Cathedral Ceilings @ dbl 16" oc (per lin ft per section	7/12 Cathedral Ceilings @ dbl 16" oc (per lin ft per section) ilo 7/12 Single 16" oc			130.00	153.00	N/A
Cathedral Wall Extensions (per lin ft of Interior Partition)		_	14.00	14.00	14.00	N/A
Cathedral height at the marriage wall is 11" high	er than the 8' sidewall height					
Vault Roof, 7/12 26/28/31 Wide ilo 7/12 16" o.c. per	lin ft of vault roof per side		N/A	***460.00	***460.00	***460.00
	lin ft of vault roof per side		N/A	***465.00	***465.00	***465.00
Maximum clear room length of 22ft, (max. 25 ft beam span); 7/12-31W max room length of 20 ft						100.00
** Must price ENTIRE house roof as 7/12 @ 16" o.c. pr		o. 20 K				
	3 1					
Hip Roof, - Available with 7/12-26/28W Storage Roof Only	v. 60 PSF Max.Snow Load; 120 MI	PH 3SG Max.				
7/12 Hip (16" o.c.) ilo 7/12 Storage Roof @ 24"	o.c., per hip end		N/A	6000.00	6000.00	N/A
7/12 Hip (16" o.c.) ilo 7/12 Storage Roof @ 16" o.c., per hip end			N/A	6200.00	6200.00	N/A
Must price ENTIRE house roof as 7/12 storage @ appropriate spacing before adding hip pricing						
					Biscayne Blue	
				iamsburg Sla F		
Optional Shingle Color, per House***All Optional Shingle Color	olors Are Temporarily Unavailable	(Check With Salespers	on For Ava	***N/A *	**N/A	
L. O. d. French D. G. E. State and J. C. State	dia OT)	(40 Div.)	04.00	04.00	04.50	N1/A
Ice Guard on Entire Roof in lieu of Underlayment (Require	,	/12 Pitch	21.00	21.00	24.50	N/A
		/12 Pitch	21.00	24.50	24.50	28.00
	9	/12 or 12/12 Pitch	24.50	28.00	28.00	31.50
**100 & 110 MPH Vasd & ≥130 Vult Wind Zone Construction	\$ 31.25/lin ft (Ranch, Cape)	\$33.75/lin ft (R.Rai	nch)	\$50.00/lin ft (T	wo Story)	
**120 MPH Vasd Wind Zone Construction	\$ 37.50/lin ft (Ranch, Cape)	\$40.00/lin ft (R.Rai		\$56.25/lin ft (T		
## Irregular Floorplan Designs may require additiona	. , , ,	•	•	•	iio didiy)	
"" mogular riborpian bosigns may require additions	a lactoring as actorninica by a r .L. t	x **** Se prioce accordingly	***************************************	are completed.		

**110 MPH Vasd Required in the following areas:

& ≥130 Vult

Connecticut, Delaware(Kent Cnty-S.E. Tip), Massachusetts (Certain Municipalities),

New Hampshire Special Wind Regions, (S.E. Tip of Rockingham County), New Jersey per ATC Wind Zone Map, New York per ATC Wind Zone Map, except (Coounties of Orange, Columbia, Dutchess, Putnam, Rockland, and Westchester tbd by local official). Rhode Island - (Zone #1 & #2).

Virginia - "Special Wind Regions" of Bland, Grayson, Scott, Smyth, Tazwell, Washington, and

Wythe and/or elevation greater than 4000 ft., Vermont "Special Wind Region" wind speeds tbd by local AHJ

Note: Locations with 100 MPH Vasd designation must be priced at 110 MPH Vasd Wind Zone Construction

**120 MPH Vasd Required in:

New York(Nassau, Suffolk, & East Queens counties. Rhode Island (Zone #3)

120 mph wind zone construction requires OPTIONAL 16" O.C. sidewall/marriage wall spacing Note:

Check with your local code office to determine requirements in your area.

Fire separation wall - Garage/Living Area, per story 7/16" OSB under gypsum (interior or exterior) as required for braced wall, per lin ft.		375.00 16.00	400.00	425.00	475.00
**If two story & 7/16" sheathing is under exterior gypsum, sheathing needs to be adde	d to the 2nd story endwall				
2 x 4 Interior Walls 16" O.C. ilo 2 x 4 24" O.C., per lin ft of wall 42" Half Wall at Raised Ranch Foyer		5.00 200.00			
Round Top Interior Archway	36"/48" wide 60" Wide	300.00 350.00			
9' Ceilings on First Floor of a Two Story Home, 2 x 6 @ 16" O.C. (times length of home)		N/A	80.00	80.00	80.00
Note: Window heights are not raised automatically - Builder must specif height. Std header height is 81-1/2" above finished floor	y window header				
Sidewall Projection (9") -Not Available in 31 Wide 5'6" Single Window w/Window Seat 5'6" Single Window Walk-Out 12' Walk-Out 16' Walk-Out		900.00 900.00 900.00 900.00	900.00 900.00 900.00 900.00	900.00 900.00 900.00 900.00	N/A N/A N/A N/A
CONSTRUCTION, Cont'd		24W	26W	28W	31W
Decorative Dormer For 5/12 Main Roof For Snow Loads Over 50lbs Please Contact 5 / 12 Pitch (8') Panelized and Shipped Loose 5 / 12 Pitch (16') Panelized and Shipped Loose 5 / 12 Pitch (24') Panelized and Shipped Loose 7 / 12 Pitch (5'6") Panelized and Shipped Loose 7 / 12 Pitch (12') Panelized and Shipped Loose 7 / 12 Pitch (16') Panelized and Shipped Loose Dbl Dormer over sidewall projection Overhang installed inside dormer	Sales Person For Possible	le Additional Co 750.00 1,375.00 2075.00 600.00 1350.00 1750.00 2275.00 200.00	osts		
Extended Dormer/Porch - Materials Shipped Loose (Posts not provided) for On Site Cor 7 /12 Pitch 16' Wide - 6 ft Porch - 24"oc(max load-35#); 16"oc(max load-56 (For installation on 5/12 or 7/12 roof) Not Available in snow load zones over 50# GSL.		4225.00			

March 28, 2022

Refer to Gladiator Price Sheets for Series Specific Options

Porch Roofs, Panelized (Posts Not Included) per lin. Ft Shown on	Ilustration Supplemen	t
#1 4 ft Porch Roof	per lin ft	60.00
#2 5 ft Porch Roof	per lin ft	85.00
#3 6 ft Porch Roof (23'8" & 26')	per lin ft	225.00
#4 6 ft Porch Roof (27'6")	per lin ft	255.00
#5 6 ft Porch Roof on 7/12 Pitch Roof (23'8" & 26')	per lin ft	235.00
#6 6 ft Porch Roof on 7/12 Pitch Roof (27'6")	per lin ft	230.00
#7 6 ft Porch Roof on 12/12 Pitch Roof (23'8" & 26')	per lin ft	180.00
#8 6 ft Porch Roof on 12/12 Pitch Roof (27'6")	per lin ft	180.00
#9 6 ft Porch Roof on a Two Story (23'8" - 26' - 27'6")	per lin ft	195.00
#10 4 ft Porch Roof on Gable End of House(23'8" - 26' - 27'6")	per lin ft	136.00
#11 6 ft 5/12 Porch Roof off Sidewall (23'8" & 26')	each	1,800.00
#12 6 ft 7/12 Porch Roof off Sidewall (23'8" & 26')	each	1,950.00
#12A 8 ft 7/12 Porch Roof off Sidewall (27' 6")	each	2,525.00
925 Salem End Elevation Porch Roof	each	2,700.00

PANELIZED SHED DORMERS:

Shed dormer Roof OC Spacing must be same as remainder of Cape Roof Entire First Story Exterior Wall Spacing must be 16" OC with Shed Dormer Option

24 Wide Capes	Const #1	Const #2
10'0" Wide x 15' 0" Deep x 7' 6" Ceiling Height (4/12 Roof Trusses & 2 x 6 Walls - 24" OC)	3,375.00	4,100.00
Each additional 2' Width of Dormer (24" OC)	335.00	410.00
10'0" x 15' 0" Deep x 7' 6" Ceiling Height (4/12 Roof Trusses & 2 x 6 Walls - 16" OC)	3,400.00	4,250.00
Each additional 2' Width of Dormer (16" OC)	340.00	425.00
26/28 Wide Capes		
10'0" x 17'0" Deep(26W)/17'9"(28W) x 8'0" Ceiling Height (4/12 Roof Trusses & 2 x 6 Walls - 16" OC)	4,125.00	4,400.00
Each additional 2' Width of Dormer (16" OC)	410.00	440.00
31 Wide Capes		
10'0" x 21'0" Deep x 8'0" Ceiling Height (4.84/12 Roof Trusses & 2 x 6 Walls - 16" O.C.)	5,175.00	5,600.00
Each additional 2' Width of Dormer (16" OC)	515.00	560.00

Panelized Shed Dormer Includes:

Voided Cape Roof Section at Requested Area of Shed Dormer Front Cape Roof Modified to Accept Shed Dormer Trusses Floor Decking Provided for Shed Dormer Area Ceiling Insulation Installed Under Decking of Shed Dormer Water Supply Lines and PVC Drain Stubbed at Floor Level Heat Circuit and Lighting Circuit Coiled in Attic, Heat and Lighting Breakers Installed in Panel Box

Shipped Loose Items (Const #1):

Special Shed Dormer Trusses
7/16" OB Sheathing for Roof and Exposed Endwall Areas Rear Wall Framed and Sheathed (Remaining Wall Sections - Framed Only Shingles, Felt Paper and Drip Edge

Eave Materials (Facia, Facia Board & Soffit) Flashing for 12/12 Roof to End Dormer Walls Juncture

Shipped Loose Items (Const #2):
Most of Roof Assembled w/sheathing, felt & most shingles installed
REQUIRES ADDITIONAL CARRIER TO TRANSPORT 7/16" OB Sheathing for Front roof and Exposed Endwall Areas Rear Wall Framed and Sheathed (Remaining Wall Sections - Framed Only Eave Materials (Facia, Facia Board & Soffit)
Flashing for 12/12 Roof to End Dormer Walls Juncture

Note: Wiring, Plumbing Materials, Drywall, Paint, Insulation, Windows, and Doors by Others. (Insulation, Windows, and Doors only can be optionally shipped loose).

NY ONLY - Seismic Construction:

Seismic Basic Construction - Ranch, Raised Ranch, & Cape 700.00 Seismic Basic Construction - Two Story
7/16" Rated sheathing ilo T-Ply @ marriage walls, per lin ft house-except width 25' & less
2x4 @ 24"oc marriage wall ilo of 2x3 @ 24"oc, per lin ft of house
Interior Braced Walls, each - Refer to New York IBW Pricing 1400.00 19.50 8.00

Seismic Design Category D-0 applies to counties - Northern Tip of Franklin - Check with local building department for seismic design category in counties surrounding Franklin County

Verify foundation width due to 7/16" OSB applied to marriage walls of units over 25' width

Add 24" in Length, except Cape & Two Story-each increment	\$ 2,025.00	2,200.00	2,275.00	2,650.00
Add 24" in Length, Cape - each increment	2,575.00	2,800.00	3,150.00	3,475.00
Add 24" in Length, Two Story - each increment	3,725.00	4,025.00	4,075.00	4,700.00

Interior Braced Walls:

Ranch Standard	end wall toper wall, each	300.00
Ranch Collector Wall	end wall to end wall,each	550.00
Cape Collector Wall	end wall to end wall,each	625.00
Two Story, 1st Floor Collector Wall	end wall to end wall,each	875.00

Prices applicable to all widths except when shown separately

Refer to Gladiator Price Sheets for Series Specific Options

SHORELINE DECKING OPTIONS		Deck Framing	Pressure Deckin	
Plan 970 Deck-No Stair			850.00	<u> </u>
		1,065.00		
Plan 971 Deck-No Stair		2,100.00	1,800.00)
Plan 972 Frnt Deck-No Sta	air	Incl	Inc	l
Plan 973 Frnt Deck-No Sta	air	Incl	Inc	l
Plan 980 Frnt Deck-No St	air	2,300.00	1,950.00)
Plan 982 Frnt Deck-No St	air, No Railing	Incl	Inc	Ī
Plan 990 Deck-No Stair		1,485.00	1,400.00	
Plan 972, Plan 973, & Pla	n 982 include pressure tre	ated framing/deck boards & covered	l porch - Railing not incl	uded
INSULATION				
R-19 Fiberglass Floor Insulation	Ship loose	(times length of home)	\$ 14.75	14.75
R-30 Fiberglass Floor Insulation	Ship loose	(times length of home)	27.75	27 75

INSULATION

R-19 Fiberglass Floor Insulation	Ship loose	(times length of home)	\$ 14.75	14.75	14.75	17.00
R-30 Fiberglass Floor Insulation	Ship loose	(times length of home)	27.75	27.75	27.75	30.50
R-44 Cellulose Ceiling Insulation in lieu of	std R38	(times length of home)	3.75	3.75	3.75	6.00
R-50 Cellulose Ceiling Insulation in lieu of s	std R38	(times length of home)	7.50	7.50	7.50	12.00
R-32 & R51 Fiberglass Outside Cape Knee	ewalls - lin. ft.		11.00	11.00	11.00	11.00
R-13 Insulation in Partitions Walls, (per lin	ft. of wall)		5.00			
3/4" Rigid Foam Insulation (R5)						
(per perimeter ft of home per st	ory) Wider windo	w extension jambs included	12.75	12.75	12.75	12.75
3/4" Rigid Foam Insulation (R5) - 9/12 & 12	1/12 Gables		918.00	995.00	1,071.00	1186.00

^{**}Energy Codes enacted by various states make it necessary to contact your salesman to obtain insulation required for each house.

EXTERIOR DOORS					
#1 - 2-lite (FS23), U23 - Additional	\$	1,050.00			
Single Sidelite w/insulated glass (FSSL692IM)		700.00			
Double Sidelite w/insulated glass (Two FSSL6921M)		1,400.00			
#2 Half-Glass (FS684IM) U24, with or without 9-Lite grills, ILO Std 2-Lite		90.00			
#3 Full Glass, with or without 15-Lite grills, ILO Std 2-Lite		190.00			
#4 Wagon Wheel (FS659IM), U23 ILO Std 2-Lite		110.00			
#5 Craftsman Smooth 6-Lite (FS868SDL) U23 ILO Std 2-Lite		340.00			
Single Sidelite w/insulated glass (FSSL145LE)		700.00			
#6 Craftsman Smooth 1-Lite, Glass (FS866PEM), U21ILO Std 2-Lite		385.00			
Single Sidelite w/insulated glass (FSSL694PEM)		700.00			
#10 Smooth, 1-Lite, 3/4 Glass (FS608PEM), U27 ILO Std 2-Lite		650.00			
Single Sidelite w/insulated glass (FSSL422PEM)		1,050.00			
#11 Smooth, Insulated Glass/Antique Black Caming (FS684MN), U25 ILO Std 2-Lite		325.00			
Single Sidelite w/insulatedl glass (FSSL692MN)		925.00			
#12 Master Nouveau, Stainable Woodgrain; Glass w/zinc caming (FG684MN), U25 ILO Std 2-Lite		965.00		Stain Cost	
Single Sidelite Winsulated glass & black caming (FSSL692MN)		1,470.00	Door	350.00	Both Sides
#13 Craftsman Stainable Woodgrain, 6-Lite w/shelf (FF868SDL), U21 ILO Std 2-Lite		495.00	1 or 2 SL's	350.00	Both Sides
Single Sidelite w/insulated glass (FFSL802SDL)		1,185.00		000.00	2011.01000
J , , , , , , , , , , , , , , , , , , ,		,			
Wood Framed, 20 Min Fire Door ILO Std 2-Lite		80.00			
Steel Fire-rated B-Label Door replacing std Rear Door		430.00			
Front Entry Package Satin Nickel (includes Kickplate, Knocker,					
Thumblatch Lockset and Deadbolt)		160 00	Aged Bronze	200.00	
Deadbolt, Exterior Door (Keyed exterior only), keyed to match door knob			Aged Bronze	50.00	
Oil Rubbed Bronze Lockset & Hinges: Entry Door, each		50.00	5		
Swing Patio Door, each		80.00			
6/0 White Vinyl Slider			Patio doors @		
•	5 Lite Grills	85.00	windows/doo		
P	Prairie Grills	130.00	replaced to d	etermine fin	al price
Beige Vinyl SGD ilo White Vinyl		135.00	ı		
6/0 White Fiberglass Single Swing Patio Door		2,355.00			1
6/0 White Fiberglass Dbl Swing Patio Door - two screens		3,000.00			ļ
	5 Lite Grills	160.00			
Beige Fiberglass Swing Patio Door ilo White Fiberglass (Frame Painted Beige)		275.00			
	Prairie Grills	320.00	_		
6/0 Andersen Slider PS-510 Exterior/Interior-Wht Vinyl Clad, Wht Hdwe ilo 6' Vinyl SGD			SN/ORB Hdw	285.00	
Finelight Grills (GBG) for Andersen PS-510 SGD		465.00	000	75.00	
6/0 Andersen Frenchwood Single Swing Patio White Exterior-Unfinished Wood Interior ilo 6' Vinyl SGD		2,800.00	ORB Hdwe	75.00	
6/0 Andersen Frenchwood Dbl Swing Patio Door, White w/Sliding Scrns ilo 6' Vinyl SGD Finelight Grills (GBG) for Andersen Frenchwood Swing Patios		4,200.00 490.00	ORB Hdwe	75.00	
i mangin onno (odo) idi Andersen Frenchwood Swing Patios		490.00			

Refer to Gladiator Price Sheets for Series Specific Options

EXTERIOR ENTRANCE TRIM: (APEX Architectural) Single Front Door Entrance Trim Sunburst Pediment with 5" Pilasters Acorn Pediment with 5" Pilasters Single Front Door w/ Double Sidelites Entrance Trim 6" Crosshead with 5" Pilasters Sunburst Pediment with 5" Pilasters Acorn Pediment with 5" Pilasters Single Front Door w/Single Sidelite Entrance Trim with Keystone 6" Crosshead with 5" Pilasters Half Round Sunburst, 11-316-72 72" for over (2) 34 x 65 windows Window Crossheads - 6" Not Available for units with flip overhang 32" 11-310-32 36" 11-310-36 44" 11-310-44 72" 11-310-72 75- 11-310-78 90" 11-310-90 Keystones 53-310-C-7 3/4"	\$ 400.00 350.00 285.00 505.00 480.00 275.00 315.00 80.00 85.00 90.00 140.00 150.00 185.00 45.00
WINDOWS Vinyl Double-Hung Low-E Windows, White: Additional 24210 (30x37) - Installed Additional 3046 (38x57) - Installed Additional 30210 (38x37) - Installed Additional 28310 (34x49) - Installed 3446 (42x57) / 2952 (34x65) ilo 3046 (38x57) - Installed, per each	\$ 540.00 645.00 590.00 575.00 35.00
Additional Vinyl Casement, 24x211 (29x36) Additional Vinyl Casement, 24x411 (29x60) Additional Vinyl Casement, 48x411 (57x60) Twin Additional Vinyl Casement, 20x40 (24x48) Safety Glazed Additional Vinyl Casement, 24x411 (29x60) Safety Glazed Additional Vinyl Casement, 21x211 (35x36) Double Additional Vinyl Casement, 34x34 (41x41) Double Double @ kit. sink Additional Vinyl Casement, 40x211 (48x36) Double Picture Window, Vinyl, (97x59) w//DH Flankers Bay Window, Vinyl, 30d (95 x 58-1/2)	730.00 895.00 1670.00 755.00 1115.00 1245.00 1325.00 1310.00 1775.00 4,700.00 Deduct windows being replaced to determine final price
Bow Window, Vinyl, (98x62) Walk-out Bay with (2) 2257 & (1) 3857 Windows	3,500.00
Safety Glazing for Vinyl 30x37 Window Safety Glazing for Vinyl 38x37 & 34x49 Window Safety Glazing for Vinyl 38x57, 42x57 & 34x65 Window	120.00 130.00 260.00
Beige Vinyl Single Window ilo White Vinyl Beige Vinyl Picture Window ilo White Vinyl Beige Vinyl Bow or Bay Window ilo White Vinyl	45.00 135.00 440.00
Fixed Octagon Window, Clad Venting Octagon Window, Clad Grills between glass (Fixed or Venting) Safety Glass (Fixed or Venting) Block Window, Vinyl Fixed Glass (42" x 42") Block Window, Vinyl Fixed Glass (42" x 10")	775.00 885.00 35.00 65.00 1,090.00 495.00
Awning Window, 32" x 12" Vinyl - Above Tub Awning Window, 36" x 17" Vinyl - Above Tub Awning Window, 2020, 24"x24" Awning Window, 2424, 28"x28" Awning Window, 48" x 12" Vinyl Awning Window, 72" x 17", Vinyl	760.00 600.00 570.00 600.00 635.00 1095.00
Transom Window, 48" x 12" Vinyl Transom Window, 72" x 12" Vinyl	595.00 625.00

Circle top windows available for doors and windows - ask salesman for availability and pricing

Refer to Gladiator Price Sheets for Series Specific Options

WINDOWS, Cont'd ANDERSEN - 400 Series Low-E Windows White**, Picture F DC Tilt Window - Unfinished Interior (24210)—In lieu of Viny D/H (28310) Dormer—In lieu of VinyI D/H (3046) —In lieu of 304((3857) VinyI D/H (3046 Twin)—In lieu of 3046 (38x57) Twin D/H Viny #(30410) — Ir lieu of VinyI 3046 D/H #(30410 Twin)—In lieu VinyI 3046 D/H Twin Andersen Prefinished White Interior, sash & extension jambs #30410 ilo 3046-necessary to meet egress when DP50 rating Andersen Bow Window C45, White Andersen 30* Bay Window, (TW30-DHP4246-18), White	1 s per window	465.00 625.00 695.00 1,425.00 740.00 1,490.00 80.00 4,700.00 Deduct widetermine	indows being replaced to final price
DP 50 Rated windows** 24210, 28310 3046, 30410 **Bow and Bay windows are not available with DP5	O rating	60.00 110.00	
Jon and Day mileons are not a familiar of man Dr o	o raung		
Andersen Safety Glazing, per window	24210 28310 3046 3446 2852	120.00 135.00 160.00	
Window Grills (Andersen Finelight (GBG) 24210/28310 Window 3046/30410 Window Bow Window Picture & Bay Window (side windows only) Center of Bay		120.00 160.00 625.00 160.00 270.00	
Vinyl (Between Glass), all sizes Vinyl, Prairie (Between Glass), all sizes Vinyl, Transoms (Between Glass), all sizes		35.00 75.00 60.00	
Shutters per pair Louvered Style -24210, 30210, & 28310 Louvered Style - 3048 & 2952 Colonial Style - Solid Raised Panel - 24210, 30210, Colonial Style - Solid Raised Panel - 3048, 2952	& 28310	40.00 50.00 45.00 55.00	
Skylite, Trusses @ 24" O.C. (21 x 27) Installed, except on 28' and 31' wides (21 x 27) (Shipped loose only) - No framing pre (21 x 45) (Shipped loose only) - No framing pre	paration	990.00 525.00 540.00	
SIDING & TRIM			
OMIT Standard Double 4 Vinyl Siding	(per perimeter ft of home per story)	(13.00)	
Mainstreet Deluxe Colors ilo Std Mainstreet	(per perimeter ft of home per story)	5.00	
Monogram Std Colors ilo Std Mainstreet Monogram Deluxe Colors ilo Std Mainstreet Monogram Premium Colors ilo Std Mainstreet	(per perimeter ft of home per story) (per perimeter ft of home per story) (per perimeter ft of home per story)	7.50 12.00 28.50	8.50 13.00 29.50
Certainteed Northwoods, 7" Straight Edge ilo std Mainstreet	(per perimeter ft of home per story)	46.75	
Alcoa "Quest" Standard Colors ilo Std Mainstreet Alcoa "Quest" Cedar Blend Colors ilo Std Mainstreet	(per perimeter ft of home per story)	19.75 35.25	
Accent Color Trim: Fascia, Drip Edge, Soffit - Single Story & Two Stor Fascia, Drip Edge, Soffit, - Single Story w/Raised R Fascia, Drip Edge, Soffit - Dormers, each Lineal Outside Corner Posts/Inserts, ilo Std, each Lineal Trim, per window or door Brown Soffit and Fascia ILO White		535.00 620.00 60.00 120.00 110.00	
		.55.56	

Refer to Gladiator Price Sheets for Series Specific Options

INTERIOR DOORS & TRIM

Moulding, Harvest Stain ilo Colonial White, per lin ft of house, per story	y			10.00		
White Colonial Jamb/Trim Package (Standard In all homes) Additonal 6 Panel White Colonial Passage Door w/Lever Loc Additional 6 Panel White Colonial BiPass Additional 6 Panel White Colonial BiFold	ekset		\$	215.00 265.00 335.00		
Santa Fe & Carrara White Hollow Core w/Lever Lockset ilo V BiPass Santa Fe &Carrara White Hollow Core ilo White Colo BiFold Santa Fe & Carrara White Hollow Core ilo White Colo	onial			20.00 30.00 50.00		
6 Panel White Smooth Solid Core w/Lever Lockset ilo White BiPass 6 Panel White Smooth Solid Core ilo White Colonial BiFold 6 Panel White Smooth Solid Core ilo White Colonial	Colonial			115.00 230.00 580.00		
Stained Jamb/Trim Package - Harvest ilo of White Colonial 6 Panel White Hollowcore w/Lever Lockset BiPass 6 Panel White Hollowcore BiFold 6 Panel White Hollowcore				35.00 35.00 35.00		
Oil Rubbed Bronze Interior Door Hardware, per door				15.00		
36" Interior door ilo Std , each, except Solid Pine stained 60" BiPass ilo 48", each, except Solid Pine stained 72" BiFold ilo 60", each, except White Solid Core & Solid Pine stained		Wh-SC	White 150.00	20.00 50.00 50.00		
Pocket Door with White Colonial Passage Door ilo Swing Door		55	.00.00	385.00		
30" White Pine Louvered Furnace Closet Door ilo Std 6 Panel White H 60" White Louvered Bifold, ilo Std Bifold, each 30" White 15 Lite ilo Std 6 Panel White Hollow Core 24" Pantry Door, Unfinished or White, ilo Std 6 Panel Hollow Core	I-C			175.00 285.00 225.00 475.00		
30" Insulated 6 Panel Door, 4-9/16" ilo Std 6 Panel White Hollow Core	e- Available White O	nly		485.00	6-9/16" Jamb	485.00
5' Pine White 15 Lite French Double Door, - Interior walls 5' Pine White 15 Lite French Double Door, - Marriage wall				920.00 1010.00		
Barn Door, Single 36" Sliding, Knotty Pine - Unfinished or Stained, with		Std Door Single 42" Double 36"		570.00 790.00 1680.00		
Stained Extension Jambs ilo White, SGD/Window, each Window Sills, White or Stained, each ** **Not Available with Exterior Foam Sheathing				55.00 45.00		
Note: Round top windows with stained jamb & casing not recomm	mended					
Stair Bannister 5', Unfinished Hem Fir Stair Bannister 5', Stained Hem Fir Stair Bannister 5', Raw Oak Stair Bannister 5', Stained Oak 12' Cape Stairway Handrail/Brackets(Shipped Loose)	-Beech Raw -Beech Stained -Oak Raw -Oak Stained			90.00 140.00 135.00 155.00	Custom Built railing availab	le. Call your
Oak Stairs, Unfinished Treads & Risers, Per tread ilo Std Oak T & G Platform, Unfinished, each ilo Std	Exposed fastene	ers		120.00 555.00		

Refer to Gladiator Price Sheets for Series Specific Options

UTILITIES

Electric Toe Space Heater ILO Electric Baseboard Unit in kitchen in bathroom 275.00 Hot Water Baseboard Heat (baseboard units installed wippes stubbed thru floor-with toe heater in kitchen if required). No boiler or water heater provided Single-Story Home (per perimeter ft of upper level) 5.50 Finish HWBB Pex Lines in 1st Story Floor (per lin ft of home) 6.50 Hotwater Baseboard Toe Space Heater ILO Baseboard - Bathroom 210.00 Chase for Flue or Mechanical Connections, Ranches, R. Ranches, & 1 Fir of Two Story 570.00 Ranch w-7/12 Storage Roof, Capes & 2 Firs of Two Story 900.00 Forced Air Floor Registers, installed each 25.00 Ground duct boot for register, each 25.00 Forced Air Floor Registers, installed each 25.00 Ground Heat IL Ined wibottom plate cut out and return air grill installed, each 25.00 Return Air Cavity Low Metal Lined wibottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Full Metal Lined wibottom plate cut out and return air grill installed, each 110.00 **Forced Air Duct System - Ranch/Raised Ranch (per lin ft of home) 31.00 - "We Story - 1st Story heat ducts (per lin ft of home) 31.00 - "We Story - 1st Story heat ducts (per lin ft of home) 31.00 - "We Story - 1st Story heat ducts (per lin ft of home) 37.00 IMPORTANT Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling wichase "Used in conjuction with open web floor system - Sec Construction Options "Used in conjuction with open web floor system - Sec Construction Options "Used in conjuction with open web floor system - Sec Construction Options "Used in conjuction with open web floor system available) 3,675.00 Water Heater Optional ILO Std: "A 'Gallon Low Boy Water Heater (Cape Crawl Space Plan Only) 305.00 Water Heater Installed ILO Strip Loose OMT Standard Electric Water Heater Oryer text installed - stubbed through floor Vent Ryange Hood on Interior Wall of single story throug
Hot Water Baseboard Heat (baseboard units installed w/pipes stubbed thru floor-with to be heater in kitchen if required). No boiler or water heater provided Single-Story Home Two-Story Home (per perimeter if of upper level) 5.50 Finish HWBB Pex Lines in 1st Story Floor (per lin ft of home) 6.50 Hotwater Baseboard Toe Space Heater ILO Baseboard - Bathroom 210.00 Chase for Flue or Mechanical Connections, Ranches, R. Ranches, & 1 Fir of Two Story 570.00 Ranch w-71/2 Storage Roof, Capes & 2 Firs of Two Stories 900.00 Forced Air Floor Registers, installed each 25.00 6' round duct boot for register, each 20.00 Return Air Cavity w/bottom plate cut out with return air grill installed, each 55.00 Return Air Cavity Low Metal Lined w/bottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Low Metal Lined w/bottom plate cut out and return air grill installed, each 115.00 **Forced Air Duct System -Ranch/Raised Ranch (per lin ft of home) 31.00 -Two Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) 31.00 -Two Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) 37.00 IMPORTANI Make certain that ducts/hoots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling w/chase 11,100.00 **Use from floor to ceiling w/chase 5.00 -**Used in conjuction with open web floor system -See Construction Options 5.00 **Use The Heat" credit shown above when optioning Forced Air Duct System 5.00 -**Use from floor to ceiling w/chase 5.00 -**Use Tom Heat" credit shown above when optioning Forced Air Duct System 5.00 -**Use Tom Low Boy Water Heater (Cape Crawl Space Plan Only) 305.00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater (Cape Crawl Space Plan Only) 305.00 Water Heater to Stubbed through floor 5.00 -**Over tot diverse to exterior (dytry box installed) Wall box, pipe, & vent hood 5.00 -**Over to diverse to exterior (dytry box installed) 5.00 -**Over to diverse t
toe heater in kitchen if required). No boiler or water heater provided Single-Story Home Two-Story Home Two-Story Home Two-Story Home How I have been been been been been been been be
Two-Story Home (per perimeter ft of upper level) Finish HWBB Pex Lines in 1st Story Floor (per lin ft of home) Hotwater Baseboard Toe Space Heater ILO Baseboard - Bathroom Chase for Flue or Mechanical Connections, Ranches, R. Ranches, & 1 Fir of Two Story Ranch w-7/12 Storage Roof, Capes & 2 Firs of Two Stories Forced Air Floor Registers, installed each Ground duct boot for register, each Feturn Air Cavity wbottom plate cut out with return air grill installed, each Return Air Cavity Low Metal Lined wbottom plate cut out and return air grill installed, each Return Air Cavity Full Metal Lined wbottom plate cut out and return air grill installed, each Return Air Cavity Full Metal Lined wbottom plate cut out and return air grill installed, each *"Forced Air Duct System -Ranch/Raised Ranch -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Two Story - 1st Story heat ducts in ceiling (per lin ft of home) -Two Two Two Two Two Two Two Two T
Finish HWBB Pex Lines in 1st Story Floor (per lin ft of home) Hotwater Baseboard Toe Space Heater ILO Baseboard - Bathroom Chase for Filue or Mechanical Connections, Ranches, R. Ranches, & 1 Fir of Two Story Ranch w-7/12 Storage Roof, Capes & 2 Firs of Two Stories Forced Air Floor Registers, installed each 6' round duct boot for register, each 20.00 Return Air Cavity whottom plate cut out with return air grill installed, each 8' 20.00 Return Air Cavity Low Metal Lined whottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Full Metal Lined whottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Full Metal Lined whottom plate cut out and return air grill installed, each 115.00 ***Forced Air Duct System -Ranch/Raised Ranch (per lin ft of home) 2nd Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) 31.00 2nd Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) IMPORTANT Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling whichase "Used in conjuction with open web floor system - See Construction Options "Use Tool to ceiling whichase "Used on conjuction with open web floor system - See Construction Options "Use Tool Tool Hear" credit shown above when optioning Forced Air Duct System "Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) 2,125.00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater (Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater (400.00) Dryer vent installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Force of Air Duct System of the properties of t
Hotwater Baseboard Toe Space Heater ILO Baseboard - Bathroom Chase for Flue or Mechanical Connections, Ranches, R. Ranches, & 1 Fir of Two Story Ranch w-7/12 Storage Roof, Capes & 2 Firs of Two Stories 900.00 Forced Air Floor Registers, installed each 6 7 round duct boot for register, each Return Air Cavity Wobtotm plate cut out with return air grill installed, each 8 55.00 Return Air Cavity Low Metal Lined w/bottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each 115.00 ***Forced Air Duct System -Ranch/Raised Ranch (per lin ft of home) 31.00 -Two Story - 1st Story heat ducts (per lin ft of home) 31.00 -Two Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) 37.00 IMPORTANI Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling Wichase "Use of molipor floor grilling air positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling Wichase "Used in conjuction with open web floor system - See Construction Options ""Use "Omit Heat" credit shown above when optioning Forced Air Duct System "Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) 2,125.00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) 305.00 Water Heater Installed (Optional open web joist & duct system available) 25.00 Diver vent installed Diver vent installed Diver vent installed Vent dyer to exterior (dryer box installed) Wall box, pipe, & vent hood 175.00 Vent dyer to exterior (dryer box installed) Wall box, pipe, & vent hood 150.00
Chase for Flue or Mechanical Connections, Ranches, R. Ranches, & 1 Flr of Two Story Ranch w-7/12 Storage Roof, Capes & 2 Flrs of Two Stories 900.00 Forced Air Floor Registers, installed each 6' round duct boot for register, each 220.00 Return Air Cavity wibottom plate cut out with return air grill installed, each 855.00 Return Air Cavity Low Metal Lined wibottom plate cut out and return air grill installed, each 856.00 Return Air Cavity Low Metal Lined wibottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Full Metal Lined wibottom plate cut out and return air grill installed, each 110.00 Return Air Cavity Full Metal Lined wibottom plate cut out and return air grill installed, each 115.00 ***Forced Air Duct System -Ranch/Raised Ranch -Two Story -1st Story heat ducts (per lin ft of home) -Two Story -1st Story heat ducts (per lin ft of home) -Two Story -1st Story heat ducts (per lin ft of home) -Two Story -1st Story heat ducts (per lin ft of home) -Two Story -1st Story heat ducts (per lin ft of home) -Two Story -1st Story heat ducts (per lin ft of home) -Two Story -1st Story heat ducts hocelling (per lin ft of home) -Two Story -1st Story heat ducts hocelling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling wichase -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' credit shown above when optioning Forced Air Duct System -Tybes O'mit Heat' Credit System available) -Tybes O'mit Heat' Credit System Air Credit Syst
Ranch w-7/12 Storage Roof, Capes & 2 Firs of Two Stories Proced Air Floor Registers, installed each 6" round duct boot for register, each 80.00 Return Air Cavity Wobottom plate cut out with return air grill installed, each 85.00 Return Air Cavity Low Metal Lined w/bottom plate cut out and return air grill installed, each 85.00 Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each 85.00 Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each 810.00 ***Forced Air Duct System
Forced Air Floor Registers, installed each 6" round duct boot for register, each Return Air Cavity w/bottom plate cut out with return air grill installed, each Return Air Cavity Low Metal Lined w/bottom plate cut out and return air grill installed, each 110,00 Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each 110,00 Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each 110,00 Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each 115,00 **Forced Air Duct System Ranch/Raised Ranch (per lin ft of home) 210 Story Supply: Heat & Return Air ducts (per lin ft of home) 210 Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) 37,00 IMPORTAN1 Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling w/chase 1,100.00 **Used in conjuction with open web floor system - See Construction Options **Use of in conjuction with open web floor system - See Construction Options **Use of mit Heati' credit shown above when optioning Forced Air Duct System **Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) 2, 125,00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater (Cape Crawl Space Plan Only) 305,00 Water Heater Installed Lico Ship Loose OMIT Standard Electric Water Heater (About) Dryer vent installed Dryer vent installed Dryer vent installed Dryer vent installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site
6" round duct boot for register, each Return Air Cavity Wobottom plate cut out with return air grill installed, each Return Air Cavity Low Metal Lined wbottom plate cut out and return air grill installed, each Return Air Cavity Full Metal Lined wbottom plate cut out and return air grill installed, each Return Air Cavity Full Metal Lined wbottom plate cut out and return air grill installed, each ***Forced Air Duct System
Return Air Cavity whottom plate cut out with return air grill installed, each Return Air Cavity Low Metal Lined w/bottom plate cut out and return air grill installed, each Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each ***Forced Air Duct System -Ranch/Raised Ranch -Two Story - 1st Story heat ducts (per lin ft of home) -Two Story - 1st Story
Return Air Cavity Low Metal Lined w/bottom plate cut out and return air grill installed, each Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each ***Forced Air Duct System
Return Air Cavity Full Metal Lined w/bottom plate cut out and return air grill installed, each *"Forced Air Duct System -Ranch/Raised Ranch (per lin ft of home) 31.00 -Two Story - 1st Story heat ducts (per lin ft of home) 31.00 -Yand Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) 37.00 IMPORTAN1 Make certain that ducts/hoots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling w/chase "*Used in conjuction with open web floor system - See Construction Options "*Used in conjuction with open web floor system - See Construction Options "*Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) 3,675.00 Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) 2,125.00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) 305.00 Water Heater Installed ILO Ship Loose 410.00 OMIT Standard Electric Water Heater Dryer vent installed - stubbed through floor 50.00 Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood 175.00 Vent Range Hood on Interior Wall of single story through the roof - completed on site 150.00
***Forced Air Duct System
-Two Story - 1st Story heat ducts (per lin ft of home) '2nd Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) IMPORTANT Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling w/chase *"Used in conjuction with open web floor system - See Construction Options *"Use "Omit Heat" credit shown above when optioning Forced Air Duct System *"Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater (400.00) Dryer vent installed Dryer vent installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Vent Range Hood on Interior Wall of single story through the roof - completed on site
'2nd Story Supply: Heat & Return Air ducts in ceiling (per lin ft of home) IMPORTAN1 Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling w/chase **Used in conjuction with open web floor system - See Construction Options **Use "Omit Heat" credit shown above when optioning Forced Air Duct System **Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Z,125.00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater (400.00) Dryer vent installed Dryer vent installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Vent Range Hood on Interior Wall of single story through the roof - completed on site
Heat & Return Air ducts in ceiling (per lin ft of home) IMPORTAN1 Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling w/chase **Use din conjuction with open web floor system - See Construction Options **Use "Omit Heat" credit shown above when optioning Forced Air Duct System **Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Z,125.00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater (Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater (400.00) Dryer vent installed 25.00 Dryer vent installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Vent Range Hood on Interior Wall of single story through the roof - completed on site
IMPORTANT Make certain that ducts/boots in 1st floor ceiling are positioned to be accessable at register openings once 2nd story modules are set in place Duct connections from floor to ceiling w/chase 1,100.00 **Used in conjuction with open web floor system - See Construction Options **Use "Omit Heat" credit shown above when optioning Forced Air Duct System **Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) 2,125.00 Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) 2,125.00 Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) 305.00 Water Heater Installed ILO Ship Loose 410.00 OMIT Standard Electric Water Heater (A00.00) Dryer vent installed 50.00 Dryer vent installed 50.00 Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood 50.00 Vent Range Hood on Interior Wall of single story through the roof - completed on site 150.00
Duct connections from floor to ceiling w/chase **Used in conjuction with open web floor system - See Construction Options **Use "Omit Heat" credit shown above when optioning Forced Air Duct System **Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater Dryer vent installed Dryer vent installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vall box, pipe, & vent hood Vent Range Hood on Interior Wall of single story through the roof - completed on site
**Used in conjuction with open web floor system - See Construction Options **Use "Omit Heat" credit shown above when optioning Forced Air Duct System **Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater Original Plant Standard Electric Water Heater Dryer vent installed 25.00 Dryer vent installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Vent Range Hood on Interior Wall of single story through the roof - completed on site
***Use "Omit Heat" credit shown above when optioning Forced Air Duct System **Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater Dryer vent installed Dryer vent installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Vent Range Hood on Interior Wall of single story through the roof - completed on site
**Not all floor plans compatible - Check with salesman Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater (400.00) Dryer vent installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 3,675.00 2,125.00 3,675.00 2,125.00 2,125.00 2,125.00 2,125.00 305.00 410.00 305.00 410.00 400.00)
Gas High Efficiency, Down Flow Furnace, (Optional open web joist & duct system available) Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater (400.00) Dryer vent installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 3,675.00 2,125.00 305.00 410.00 400.00)
Electric, Down Flow Furnace, Installed (Optional open web joist & duct system available) Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater Dryer vent installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 2,125.00 305.00 410.00 400.00) 25.00 50.00 175.00 Vent Range Hood on Interior Wall of single story through the roof - completed on site
Water Heater Optional ILO Std: 47 Gallon Low Boy Water Heater(Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater Dryer vent installed Dryer box installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 305.00 410.00 25.00 50.00 75.00 Vent Range Hood on Interior Wall of single story through the roof - completed on site
47 Gallon Low Boy Water Heater (Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater Dryer vent installed Dryer box installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 305.00 25.00 50.00 175.00 Vent Range Hood on Interior Wall of single story through the roof - completed on site
47 Gallon Low Boy Water Heater (Cape Crawl Space Plan Only) Water Heater Installed ILO Ship Loose OMIT Standard Electric Water Heater Dryer vent installed Dryer box installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 305.00 25.00 50.00 175.00 Vent Range Hood on Interior Wall of single story through the roof - completed on site
OMIT Standard Electric Water Heater (400.00) Dryer vent installed 25.00 Dryer box installed 50.00 Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood 175.00 Vent Range Hood on Interior Wall of single story through the roof - completed on site 150.00
Dryer vent installed Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Wall box, pipe, & vent hood Vent Range Hood on Interior Wall of single story through the roof - completed on site 25.00 50.00 175.00 175.00
Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 50.00 175.00 150.00
Dryer box installed - stubbed through floor Vent dryer to exterior (dryer box installed) Vent Range Hood on Interior Wall of single story through the roof - completed on site 50.00 175.00 150.00
Vent dryer to exterior (dryer box installed)Wall box, pipe, & vent hood175.00Vent Range Hood on Interior Wall of single story through the roof - completed on site150.00
Vent Range Hood on Interior Wall of single story through the roof - completed on site 150.00
DILIMBING
FLOWDING
PEX in-floor lines, installed, per lin. ft. 9.00
Utility Sink, with Faucet 300.00
Plumb for Clothes Washer w/ Anti-Siphon 345.00
Tienna ter erenter in rate erenter
Future 2" Vent, Basement Plumbing (1-Story)
Future 2" Vent, Basement Plumbing (1-Story) Future 2" Vent, Basement Plumbing (Cape/Two Story) 115.00 180.00
Future 2" Vent, Basement Plumbing (1-Story) Future 2" Vent, Basement Plumbing (Cape/Two Story) 3" PVC Vent - Marked for Radon (1-Story) w/box & wire 115.00 180.00 200.00
Future 2" Vent, Basement Plumbing (1-Story) Future 2" Vent, Basement Plumbing (Cape/Two Story) 3" PVC Vent - Marked for Radon (1-Story) w/box & wire 3" PVC Vent - Marked for Radon (Cape/2-Story), w/box & wire 305.00
Future 2" Vent, Basement Plumbing (1-Story) Future 2" Vent, Basement Plumbing (Cape/Two Story) 3" PVC Vent - Marked for Radon (1-Story) w/box & wire 115.00 180.00 200.00
Future 2" Vent, Basement Plumbing (1-Story) Future 2" Vent, Basement Plumbing (Cape/Two Story) 3" PVC Vent - Marked for Radon (1-Story) w/box & wire 3" PVC Vent - Marked for Radon (Cape/2-Story), w/box & wire Frost-Free Exterior Faucet w/anti siphon, Shipped Loose 115.00 200.00 305.00 50.00

Refer to Gladiator Price Sheets for Series Specific Options

ELECTRIC

Additional wiring to panel box, per lin. ft. Relocate panel box to opposite end of house Additional heat and electric circuits for capes over 40' Wire for Electric Clothes Dryer Celling Box and Blocking for Paddle Fan/Light, 14/3 wire & (2) switches Wire and Switch for Exterior Spot Light by Builder Dimmer Switch, Decorator Slide Control, 3-Way Dimmer Switch, LED Light (10 Maximum) Additional Exterior GFI Receptacle T/Stat wire, 18/5, 50' coiled below floor Install (2) 3-Way Switches ILO Std. Furnace Safety Switch Receptacle in range cabinet for Microwave, omit hood wire Photo Electric Smoke Detector ilo Std (Req'd in ME & VT) Additional Photo Electric/CO Smoke Detector ilo Std (Req'd in Mass, ME & VT) Heat Detector, (Req'd in Mass-Garage) Smoke-C/O Combo Detector ilo std, (Req'd NH, NY, NJ, CT, MD, PA, DE, VA, RI, W.VA) Oil Rubbed Bronze Light Fixture Package, per house Celling Light in Bedroom Flourescent Fixture, Recessed or Surface Mount, 1' x 4' Pendant Light for over peninsula, each Kitchen undercabinet light fixture, each LED Recessed Light, 13W DEB56 LED Eyeball Recessed Light Closet Light, wire and switch (mininum closet size -2' x 4'2") 20 Amp USB Charger/TR receptacle ilo Std receptacle TV/PH/Receptacle Box, Wall mount recessed for wall mount TV, each Additional TV Jack Additional Phone Jack w/CAT-6 cable Fan/Light/Heater 100 cfm Combination ilo Std Bath Fan, each (ME, VT, & Energy Codes as req'd) Timer, 24 hr. programmable Heat Lamp, Double with 15 min. timer KITCHEN	100.00 27.50 250.00 225.00 205.00 140.00 125.00 30.00 125.00 200.00 250.00 60.00 90.00 150.00 145.00 130.00 130.00 145.00 145.00 140.00 55.00 65.00 140.00 50.00 250.00	
14" Flush Soffit ilo Open Soffit \$ 27" Extended Kitchen Soffit ilo Open Soffit	400.00 500.00	Painted / Purestyle
**##Full Overlay Crown Moulding (MFOLCR), ilo Open Soffit, per 8 ft. piece, all except Painted & Purestyle **Full Overlay Crown is not designed to accept Rope moulding ## If used with a step-up cabinet, that cabinet must be deeper than surrounding cabinets	130.00	155.00
180fx Laminate countertop ilo std grade, per kitchen	400.00	
Laminate "Waterfall" countertop edging, Std laminate, per 12' piece Laminate "Waterfall" countertop edging, 180fx laminate, per 12 ft piece	90.00 90.00	
Granite & Corian Countertops are available - Call your salesman for pricing		
Single Bowl (25x22) 8" Deep S.S. Kitchen Sink Ilo Std Dbl Bowl	25.00	
Apron Front/Farmhouse Sink, SS Single/DBI Basin ilo Std SS Sink - top mount installaton	825.00	
Swanstone double bowl, White - Bisque, ilo Std S.S.	320.00	
Swanstone double bowl, Black Galaxy - Tahiti Desert, ilo Std S.S.	455.00	Obder Obed CORD
Kitchen Faucet, Peerless P188103LF ilo Std Peerless P188103LF Chrome Kitchen Faucet, Peerless P299575, ilo Std Peerless P188103LF Chrome	Std N/C	Stnles Steel ORB 50.00 95.00 25.00 35.00
Gourmet Delta, 4353 Pull-Out, ilo Std Peerless Pull Down Chrome Pull-Down Delta, 9178T-DST, Single Handle Touch On-Off ilo Std Peerless Pull Down Chrome Pull-Down Delta, 978 w/liquid dispenser ilo Std Peerless Pull downChrome	85.00 260.00 175.00	130.00 185.00 275.00 315.00 305.00 330.00
Bar Sink Faucet, P288LF ilo Std Peerless Chrome		

Refer to Gladiator Price Sheets for Series Specific Options

APPLIANCES				
Range Hood, Stainless Steel			60.00	
Chimney Hood, 30" Stainless Steel (JVW5301S) ilo Std Hood			665.00	
Microwave				
Spacemaker Microwave over range-(JNM 7196) White/Bisque/Black			680.00	
Spacemaker Microwave Model as above, Stainless Steel			790.00	
Dishwasher, replacing Cabinet				
Dishwasher w/ Pot Scrubber (GSD3300 Series) White/Bisque/Black Installed			1,125.00	
Dishwasher w/ Pot Scrubber (GSD3300 Series) Stainless Steel Installed			1,225.00	
Garbage Disposal Installed			475.00	
Galbage Disposal Ilistalieu			473.00	
Central Vacuum Outlet, Installed, each			30.00	
Two Story Pre-Piping, Installed			185.00	
Central Vacuum System w/Accessories, Shipped Loose				
Model 466Q Vacuflo with Turbo Team			1,650.00	
BATH OPTIONS				
ADA Elongated Commode ilo std - (Available White Only), 16-3/4" Height			50.00	
Brushed Nickel or Oil Rubbed Bronze Accessories: (1) Towel Bar & (1) Toilet Paper Holder ild	Std Chro	me, per bat	35.00	
Ceramic Tile, Emers Tile *Daroca* Walls Around Shower, w/Fiberglass Pan ILO STD	48"	2575.00	60"	3125.00
Walls around Garden Tub or RE4601 Tub				2700.00
Platform, apron and backsplash for Drop-in Tub Between Walls	60"	1375.00	72"	1875.00
Open 1 End	60"	1500.00	72"	2000.00
Corner Drop-in	00	1375.00	12	2000.00
Soap Niche: 13" x 13"		125.00		
13" x 26"		250.00		
13" x 39"		375.00		
VANITIES				

VANITIES

Aristokraft Linen Cabinet LCD18 with LKS18 Shelf Kit

535.00

Consult your sales representative for additional vanity offerings and pricing

Cultured Vanity Tops with Matching Bowl ilo Standard Top:	Cultured w	Oval Bowl	Cultured w/Re	ctangular Bowl
	Marble	Granite	Marble	Granite
25"	55.00	130.00	165.00	230.00
31"	70.00	175.00	195.00	265.00
37"	90.00	200.00	215.00	285.00
49"	120.00	265.00	245.00	320.00
61" Single Bowl	175.00	370.00	300.00	375.00
61" Double Bowl	205.00	435.00	430.00	430.00
Rectangular, Self-rimming sink basin (available white only)	•	75.00		•
3 , 3, 1				
Pedestal Lavatory (available white only) ilo Std 30" Vanity & Top		50.00		
MEDICINE CABINET OPTIONS:				
36" Tri-Door Medicine Cabinet/Lights ilo Single Beveled Mirror Cabinet	\$	160.00		
Plate Mirror/Light Fixture ilo Single Beveled Mirror Cabinet		110.00		
**Oval Surface Medicine Cabinet/Lights ilo Single Beveled Mirror Cabinet **Requires minimum of 39" width wall space for fit		50.00		
9422 Recessed medicine cabinet (16" x 22")/Lights ILO Single Beveled Mirror Cabinet		75		

BATH FAUCET OPTIONS:	Chrome	Brshd Nkl	ORB
Peerless 2-Handle Lavatory Faucet, P299685LF ilo Std Peerless Chrome	Std	35.00	65.00
Peerless Single Lever Lavatory Faucet, P188627LF ilo Std 2-Handle Lever	40.00	75.00	110.00
Peerless PTT188753/PTT188750 Bathtub Diverter ilo Std	Std	40.00	70.00
Peerless PTT188743/PTT188740 Shower Diverter ilo Std	Std	40.00	55.00
Full Spray Rain Can Shower Head, RP70537 ilo Std Shower Head	55.00	65.00	115.00
Adjustable Extended Arm for Rain Can Shower Head	85.00	160	195
Peerless Roman Tub Filler PTT298696 , ilo Std Peerless	Std	50.00	75.00
GLASS DOORS - Installed		Chrome	BN/ORB

ASS DOORS - Installed	C	Chrome	BN/ORB
36" Clear Glass Shower Door	\$	535.00	665.00
48" Clear Glass Swing Shower Door - Fits Single & 2 Seat Shower		740.00	975.00
60" Clear Glass Sliding Shower Door - Fits 2 Seat Shower		785.00	1,020.00
60" Clear Glass Sliding Shower Door - Fits Single Seat Shower		805.00	1,040.00
60" Clear Glass Tub/Shower Door		850.00	1,040.00
38" Clear Glass Neo-Angle Shower Door		820.00	1,170.00
RE4924 Clear Glass, Angled Shower Door		Incl	200.00
60" Brushed Nickel/ORB enclosure for RE8848DT/S Shower w/ Obscure glass ilo Std. Chrome		Incl	150.00

Refer to Gladiator Price Sheets for Series Specific Options

RE5848 48" 2-Seat Shower ILO Of 36" Shower \$	140.00
RE5843 48" Single Seat Shower ILO Of 36" Shower	260.00
RE5860 60" 2-Seat Shower ILO Of STD 60" Tub/Shower	75.00
RE5836 60" Single Seat Shower ILO Of STD 60" Tub/Shower	345.00
RE6036NS 60" No Seat Shower ILO Of Std Tub/Shower	470.00
RE5843 60" Single Seat Shower ILO Of 36" Shower	445.00
RE8848DT/S 60" Shower Stall/Chrome Enclosure ILO Of STD 60" Tub/Shower	2,925.00
RE3838 38" Neo-Angle Shower ILO Of 36" Shower (Requires Optional Enclosure)	120.00

GARDEN TUBS/WHIRLPOOLS:

RE3000 Garden Tub (NO WALLS) ILO Of 60" Tub/Shower	\$	200.00	
RE3000 Garden Tub With Whirlpool (4 Jets) ILO Of STD Garden Tub		1,575.00	
RE3060X Garden Tub With Walls & Shower ILO Of STD Tub/Shower		390.00	
RE3060X Garden Tub with Walls & Shower ILO Of STD Garden Tub		310.00	
RE3060X Garden Tub w/Walls, w/Whirlpool (4 Jets) ILO Of STD Tub/Shower		1,700.00	
Garden Tub w/Walls, W/Whirlpool (4 Jets) ILO Of STD Garden Tub		1,750.00	
(8), (10), & (12) Jet Whirlpool Options Available On Some Models		Consult You	ır Sales Person For Otional Pricing/Availa
RE4060D Corner Soaking Tub ILO Std Tub		2,300.00	
RE4060D Corner Whirlpool (4 Jets) ILO Of STD Corner Soaking Tub		1,650.00	
RE4272DS 72" Drop-In Whirlpool (8 Jets) Tub ILO Drop-In Soaking Tub		1,650.00	
RE7901 60" Tub/Shower w/whirlpool (4 Jets) ILO Of STD 60" Tub/Shower		2,050.00	
MP6036BF34 Barrier Free Shower ILO Of STD 60" Tub/Shower		3,300.00	
MP6333BF34 Barrier Free Shower ADA Compliant ILO Of STD Tub/Shower		3,350.00	
Assisted living showers include seat, grab bars, & shower fitting on slide bar, shower rod &	curtain		

FLOOR COVERINGS

Deluxe Carpet ILO Std Carpet/Floor Tile	(per lin ft of rm)	\$ 11.00	11.00
**OMIT Floor Tile		(14.00)	(14.00)
**OMIT Std Carpet & Pad	(per lin ft of room)	(14.00)	(14.00)
Carpet & Pad Shipped Loose	(per lin ft of room)	(4.00)	(4.00)

^{**}When finish floor covering is omitted, the builder is responsible to ensure that proper sub-floor preparation is made to achieve a quality, trouble free finish floor installation

More Optional Flooring Will Be Added As We Find Replacements For Discontinued Flooring From Our Suppliers

SPC Waterproof Flooring	Per Sq. Ft. of room, Installed ilo of Std Floor Covering	8.00
Revotile***	Per Sq. Ft. of room, Installed ilo of Std Floor Covering	9.00
*** Requires Optional 23/32" floor sheat	hing in entire house	

FIREPLACES & SURROUNDS		
42" Direct Vent Gas Natural/LP - Standing Pilot w/Remote Control		
Corner Installation Vented Horizontally		\$ Temporarily N/A
Wall Installation Vented Horizontally		Temporarily N/A
Add for VERTICAL Vent Through the Roof	RANCH	Temporarily N/A
Fireplaces standard with drywall finish, Unfinished wood mantle, &	CAPE	Temporarily N/A
36" Woodburning Fireplace with Blower		NOT AVAILABLE
Unfinished Washington Wood Mantle & Matching Side Panels -		
w/ Cultured Marble Surround and Hearth		1,850.00
Stone w/Mantle and Hearth - Castlerock(Brown) or Pennsylvania Drystad	ck(Gray)	1,925.00

Raised Hearth (8")	550.00	
Upper Section for 8' Ceiling (N/A with Rsd Hearth, Cath.Ceiling)	1,550.00	
Raised Hearth (8") with carpet trim & hearth stones	300.00	
Rough Opening ONLY for Fireplace	375.00	
F/Place Rough Opening WITH Exterior Chase Framing, Floor cantilever, & Siding	3,500.00	
For Two-Story Home & Cape	4,600.00	

NOTE: On a Two-Story & Cape Home, the Upper Sections of Chimney Flue and chase are shipped Loose for Field Installation By Others.

9 ft=

1,850.00

Refer to Gladiator Price Sheets for Series Specific Options

MISCELLANEOUS

Ranch Basement Stairs, w/Railing, Closed Risers	\$ 800.00
8" Floor Joist - 97 1/2" Floor to Floor	
10" Floor Joist - 99" Floor to Floor	
Raised Ranch Stairs and Landing	1,150.00
(Vinyl for Landing, Carpet for Stairs)	
Upper Stairs and Landing only, vinyl & carpet included	650.00
Ot al District 4/01 a 01 a 401 a a b	45.00
Steel Plates, 1/2" x 9" x 12", each	45.00

CRAWL SPACE PACKAGE (Hookup for Water heater & Washer, Bi-fold Door, & Panel Box Installed)

All Ranch Plans	\$	425.00	425.00	425.00	450.00
-----------------	----	--------	--------	--------	--------

ENGINEERING/CODE/LABEL FEES

Preliminary Plan Drawing Charge (Ranch, Raised Ranch, Cape)		\$	100.00			
Preliminary Plan Drawing Charge (Two Story)			200.00			
Modified Plan Fee, Minimum Charge			100.00			
New Plan Fee, Minimum Charge			300.00			
Elevation Drawing			100.00			
Change Order Fee			100.00			
Maryland Sprinkler Design - Third Party Review & Submittal to State			125.00			
Maryland Plans, P.E. & Third Party Approval			800.00			
Blue Prints w/P.E. Seal - NY & Mass (4 sets)	Ranch up to 2 modules	New York	650.00	Mass.	725.00	
	Cape	New York	700.00	Mass.	750.00	
	Cape w/Vault Roof System	New York	750.00	Mass.	775.00	
	Two Story, up to 4 modules	New York	750.00	Mass.	775.00	
Cost can vary from those listed if add	itional review is required	Add	\$150.00 To	Above Costs	For Duplex I	Plans

Raised Seal P.E. Print Sets, 11" x 17"	First 3 sets, each	\$100.00	Additional set, each	100.00	
P.E. Review and Seal for High Wind - Calcs done in	house			1000.00	
New York 110 & 120 MPH Wind Zone Engineering C **Cost can vary from	Calcs & PE Fee n those listed for irre	egular floorplan d	esigns	1300.00	**

ENGINEERING/CODE/LABEL FEES, Cont'd

USDA/FmHA Blue Prints (3 Sets) & Plan Certification USDA/FmHA Construction Features	200.00 100.00
In-Plant Thermal Inspection for Energy Star/Stretch Energy Compliance	600.00
Mass Stretch Energy Code Compliance - Consult your Sales Representative to obtain an	TBD
estimate based on your local requirements	

STATE INSPECTION & LABELS

Pennsylvania S New York	65.00 175.00	per module *
New Jersey	130.00	per module
Maine	360.00	*
New Hampshire	140.00	per module
Vermont	65.00	per module
Massachusetts	75.00	per module
Rhode Island	130.00	per module
Connecticut	110.00	*
Maryland	130.00	per module
Delaware	65.00	per module
Virginia	110.00	per module
West Virginia	65.00	per module

^{*}Double Label Costs Above For Duplexes*